

# **TEXTILE WASTE/SCRAP RUBBER COMPOSITE FOR TECHNICAL APPLICATIONS**



**FACULTY OF APPLIED SCIENCES  
UNIVERSITI TEKNOLOGI MARA  
40450 SHAH ALAM**

**PREPARED BY:**

**CHE MOHAMAD SOM SAID  
MOHD ROZI AHMAD  
MONA RITA OTHMAN**

**JANUARY 2010**

## **PROJECT TEAM MEMBERS**

Che Mohamad Som Said  
Project Member

.....  
Tandatangan

Mohd Rozi Ahmad  
Project Member

.....  
Tandatangan

Mona Rita Othman  
Project Member

.....  
Tandatangan

## **ABSTRACT**

Natural rubber (NR) was compounded with waste polyester fabrics using internal mixer and two roll mill. The effects of the waste polyester fabric used as filler in natural rubber compound were studied. Physical test were conducted including tensile test, hardness test, resilience test, ageing test, density and Mooney viscosity. Tensile test results show that filled NR compound has lower strength than NR compound without filler. However the hardness, resilience, density and Mooney viscosity value shows the opposite. Morphology studies using Field Emission Scanning Electron Microscopy (FESEM) show that the waste polyester fabrics were well dispersed in the rubber matrix but showing poor bonding between them.

## TABLE OF CONTENTS

	<b>Page</b>
<b>ACKNOWLEDGEMENT</b>	iv
<b>TABLE OF CONTENTS</b>	v
<b>LIST OF TABLES</b>	ix
<b>LIST OF FIGURES</b>	x
<b>LIST OF ABBREVIATIONS</b>	xi
<b>ABSTRACT</b>	xii
 <b>CHAPTER</b>	
 <b>1 INTRODUCTION</b>	 1
1.1 Background of the study	1
1.2 Problem Statement	5
1.3 Objective of the study	6
1.4 Scope of the study	6
 <b>2 LITERATURE REVIEW</b>	 7
2.1 Rubber	7
2.1.1 Natural Rubber	7
2.1.2 Rubber Compound	7
2.2 Textile waste/scrap	8
2.2.1 Textile recycling	8
2.3 Waste Polyester Fabric	9
2.3.1 Structure of Polyester Fabric	9

2.3.2	Properties of Polyester Fabric	10
2.4	Blending of plastics with rubbers	11
2.5	Textile-rubber composite	11
2.5.1	Effect of length of polyester short fibers on natural rubber mixer	13
2.5.2	Effect of waste polyester fiber loading on the ageing properties of natural rubber vulcanizates	13
<b>3</b>	<b>MATERIALS AND METHOD</b>	14
3.1	Raw material	14
3.2	Process flowchart	15
3.2.1	Fabric waste: types and structures	16
3.2.2	Fabric fiber types	17
3.2.3	Preparation of fabric waste	17
3.3	Rubber compounding ingredients	17
3.3.1.	Natural Rubber	17
3.3.2	Vulcanising agents, antioxidants, stabilizers and fillers	18
3.4	Mixing Process	19
3.4.1	Internal Mixer	19
3.4.1.1	Calculation of batch factor	19
3.5	Two Roll Mill	20
3.6	Cure characteristic	23
3.6.1	Monsanto Rheometer	23
3.6.2	Mooney Viscometer	25
3.7	Preparation of test sample	27